



Inspection codes

The market place for flowers and green

| Code | Description | Code | Description |
|------|------------------------------|------|----------------------------------|
| 0 | NO COMMENTS | 471 | NOT DEFOLIATED |
| 1 | IMPURE FLOWERS | 472 | SOME LIMP NECKS |
| 2 | LOOSE PLANTS | 473 | LIMP NECKS |
| 3 | YOUNG PLANTS | 476 | SINGLE LIMP BRANCH/STALK |
| 4 | POOR ROOT SYSTEM | 477 | LIMP BRANCHES/STALKS |
| 5 | PRETREATED | 478 | SOME POORLY DISBUDED |
| 6 | LIGHTED | 479 | POORLY DISBUDED |
| 7 | LIGHTED AND PRETREATED | 480 | SINGLE POOR STALK/STEM |
| 8 | NEW PRODUCT | 481 | POOR STALKS/STEMS |
| 9 | NEW SUPPLIER | 482 | SOME DISCOLOURATION AT BOTTOM |
| 10 | OCCASIONAL IMPURE FLOWER | 483 | DISCOLOURED AT BOTTOM |
| 11 | IMPURE FLOWERS | 484 | SOME WITH SPLIT BRANCH |
| 12 | BLEMISHED FLOWERS | 485 | SPLIT BRANCHES |
| 13 | DEVIANT FLOWER | 486 | SINGLE BRANCH/TOP BROKEN LOOSE |
| 14 | DAMAGED FLOWER | 487 | BRANCHES/TOPS BROKEN LOOSE |
| 15 | DISCOLOURED FLOWER | 488 | SOME TOO MANY CUTTINGS |
| 16 | SOME DRIED FLOWERS | 489 | TOO MANY CUTTINGS |
| 17 | DRIED BUDS | 490 | SINGLE SAWN OUT BRANCH/STEM |
| 18 | SHEDDING | 491 | SAWN OUT BRANCHES/STEMS |
| 19 | A FEW ARE SLIGHTLY RAW | 492 | SOME WITH DIRTY STALK |
| 20 | A LITTLE TOO RAW | 493 | DIRTY STALKS |
| 21 | TOO RAW | 494 | SOME WATERY STALKS |
| 22 | SOMEWHAT RIPER | 495 | WATERY STALKS |
| 23 | UNEVEN RIPENESS | 496 | SOME WOOD FORMATION AT BOTTOM |
| 24 | POORLY SORTED | 497 | WOOD FORMATION AT BOTTOM |
| 25 | SOME ARE UNEQUAL IN RIPENESS | 498 | SOME WITHOUT BULB BASE |
| 26 | POOR ROOT SYSTEM | 499 | WITHOUT BULB BASE.© VBN 2003/200 |
| 27 | STUCK TOGETHER | 504 | SINGLE DEVIANT LEAF |
| 28 | SPLIT CALYX | 505 | DEVIANT LEAF |
| 29 | BURNT CALYX | 506 | SOME DAMAGED LEAF |
| 30 | INCLUDES SMALL ONES | 507 | DAMAGED LEAF |
| 31 | SHORT CREST | 508 | SINGLE MISSING LEAF |
| 32 | LOOSE PLANTS | 509 | MISSING LEAF |
| 33 | SHORTER | 510 | SOME LEAF NOT FULLY COLOURED |
| 34 | SLIGHTLY BENT | 511 | LEAF NOT FULLY COLOURED |
| 35 | UNEVEN LENGTH | 512 | SINGLE LEAF TIP |
| 36 | SOME ARE SPLIT | 513 | LEAF POINTS |
| 37 | SPLIT | 514 | SINGLE CASE BLEMISHED LEAF |
| 38 | BARE | 515 | BLEMISHED LEAVES |
| 39 | DEFOLIATION | 516 | SINGLE CASE OF LEAF EDGE |
| 40 | THIN STALK | 517 | LEAF EDGES |
| 41 | SPARSE | 518 | LIGHT DEFOLIATION |
| 42 | LIMP STALK | 519 | DEFOLIATION |

| | | | |
|-----|----------------------------------|-----|--------------------------------|
| 43 | DAMAGED STALK | 520 | SINGLE VARIEGATED LEAF |
| 44 | CROOKED | 521 | VARIEGATED LEAF |
| 45 | HOOKS | 522 | SINGLE BROWN LEAF |
| 46 | SMALL HEEL ON OLD WOOD | 523 | BROWN LEAF |
| 47 | LIGHT FOREST | 524 | SINGLE YELLOW LEAF |
| 48 | LIGHTER | 525 | YELLOW LEAF |
| 49 | SOME WITH LIGHT BRANCHES | 530 | SINGLE POINTED/CUT LEAF |
| 50 | SOME WITH LIMP STALKS | 531 | POINTED/CUT LEAF |
| 51 | SOME WITH THIN STALKS | 532 | SOME SPOTTED LEAF |
| 52 | THIN AT THE BOTTOM | 533 | SPOTTED LEAF |
| 53 | YELLOW LEAF | 540 | SHINY LEAF |
| 54 | BURNT LEAF | 541 | EXCESSIVE SHINY LEAF |
| 55 | LEAF POINTS | 542 | SOME RESIDUE ON LEAF |
| 56 | SINGLE POINT IN LEAF | 543 | RESIDUE ON LEAF |
| 57 | DAMAGED LEAF | 544 | SINGLE LIMP LEAF |
| 58 | POOR LEAF | 545 | LIMP LEAF |
| 59 | BROWN LEAF | 548 | SOME POOR LEAF |
| 60 | RUST SPOTS IN LEAF | 549 | POOR LEAF |
| 61 | SINGLE YELLOW LEAF | 552 | SOME POOR SHOOTS |
| 62 | VARIEGATED LEAF | 553 | POOR SHOOTS |
| 63 | SOME VARIEGATED LEAF | 554 | SOME SHOOTS INCORRECT POSITION |
| 64 | DOES NOT CONFORM TO CHAR. | 555 | SHOOT INCORRECT POSITION |
| 65 | RING SPOT | 556 | SOME WET LEAF |
| 66 | THRIPS DAMAGE | 557 | WET LEAF |
| 67 | APHIDS | 558 | SOME BURNT LEAF |
| 68 | WHITEFLY | 559 | BURNT LEAF |
| 69 | EGGS | 560 | SOME DIRT ON LEAF |
| 70 | DEAD APHID | 561 | DIRTY LEAF |
| 71 | POCKED | 562 | SINGLE BURNT BRACT |
| 72 | OTHER ANIMAL PARASITES | 563 | BURNT BRACTS |
| 73 | WHITE IN THE LEAF | 564 | SOME WATER STAINS ON LEAF |
| 74 | SOOTY MOULD | 565 | WATER STAINS ON LEAF.© VBN 200 |
| 75 | PEPPER | 598 | (RESERVED) |
| 76 | WITH A SPOT | 599 | (RESERVED).© VBN 2003/2004 |
| 77 | RED SPIDER MITE | 602 | SINGLE BOTRYTIS ROSE |
| 78 | LEAF MINER FLY | 603 | BOTRYTIS ROSE |
| 79 | SLIGHT EDGE | 604 | SOME BACTERIAL DISEASE |
| 80 | COLD | 605 | BACTERIAL DISEASE |
| 81 | WITH THUMB | 608 | SOME LEAF ROLLER |
| 82 | THUMBS PLUCKED OFF | 609 | LEAF ROLLER |
| 83 | TOP OR TOPPED | 612 | SOME BOTRYTIS IN INFLORESCENCE |
| 84 | OTHER BOTANICAL PARASITE(S) | 613 | BOTRYTIS IN INFLORESCENCE |
| 85 | GREAT DIFFERENCE | 614 | SINGLE LEAF BOTRYTIS |
| 86 | OPEN FLOWER | 615 | LEAF BOTRYTIS |
| 87 | INSUFFICIENTLY MIXED | 620 | SOME ANIMAL PARASITES |
| 89 | SHRINKAGE | 621 | ANIMAL PARASITES |
| 90 | BUDS | 624 | SINGLE CASE OF DRY ROT |
| 91 | BRACT CURDS | 625 | DRY ROT |
| 93 | FLATNESS | 629 | YELLOW DISEASE |
| 94 | POORLY DISBUDED | 632 | SOME JAPANESE RUST |
| 95 | LONG NECKS | 633 | JAPANESE RUST |
| 96 | OTHER COMMENTS | 636 | SOME APHID |
| 97 | OTHER ADDITIONAL COMMENTS | 637 | APHID |
| 98 | SECOND CHOICE | 640 | SOME MILDEW |
| 99 | WITHOUT INSPECTION - ALL DEFECTS | 641 | MILDEW |
| 106 | SOME DEVIANT FLOWER CENTRES | 642 | SOME MITE |

| | | | |
|-----|-----------------------------------|-----|---------------------------------------|
| 107 | DEVIANT CENTRES | 643 | MITE |
| 108 | SOME DEVIANT FLOWER/BLOOM | 644 | SINGLE MINER LEAF |
| 109 | DEVIANT FLOWER/INFLORESCENCE | 645 | MINER LEAF |
| 110 | SOME DAMAGED FLOWER/BUD | 646 | SNGLE CASE SOOTY MOULD |
| 111 | DAMAGED FLOWERS/BUDS/FRUIT | 647 | SOOTY MOULD |
| 112 | SOME DAMAGED CLAWS (UNGUIS) | 648 | SINGLE RUST SPOT |
| 113 | DAMAGED CLAWS | 649 | RUST |
| 114 | SINGLE BLUE FLOWER | 650 | SOME FEVER FLY |
| 115 | BLUE FLOWERS | 651 | FEVER FLIES |
| 116 | SINGLE FLOWER NOT FULLY COLOURED | 652 | SINGLE CATERPILLAR |
| 117 | FLOWERS NOT FULLY COLOURED | 653 | CATERPILLARS |
| 118 | SLIGHT SHEDDING FLOWER/BUD/BERRY | 656 | SOME SCALE INSECT/COT' MAPLE SCALE |
| 119 | SHEDDING OF FLOWER/BUD/BERRY | 657 | SCALE INSECT/COTTONY MAPLE SCALE |
| 120 | SINGLE BROWN FLOWER | 658 | SOME MOULD |
| 121 | BROWN FLOWERS | 659 | MOULD |
| 122 | SOME DISCOLOURATION FLOWER EDGE | 662 | SINGLE SNAIL |
| 123 | DISCOLOURED FLOWER EDGE | 663 | SNAILS |
| 124 | SINGLE THUMB | 664 | SINGLE SPECK |
| 125 | THUMBS | 665 | SPECK |
| 126 | SOME BROWN FLOWERS | 666 | SOME RED SPIDER MITE |
| 127 | BROWN FLOWER EDGE | 667 | RED SPIDER MITE |
| 128 | SINGLE YELLOW BRACT | 668 | LIGHT DAMAGE RED SPIDER MITE |
| 129 | YELLOW BRACTS | 669 | R' S' MITE DAMAGE.© VBN 2003/2004 10 |
| 130 | OCCASIONAL PEELED FLOWER | 670 | SINGLE CASE OF SPITTLEBUG |
| 131 | PEELED FLOWERS | 671 | SPITTLEBUG |
| 132 | SINGLE STUCK FLOWER | 674 | SOME TAXUS WEEVIL |
| 133 | STUCK FLOWERS | 675 | TAXUS WEEVIL |
| 134 | SINGLE PICKED FLOWER | 678 | SOME THRIPS |
| 135 | PICKED FLOWERS | 679 | THRIPS |
| 136 | SINGLE TORN FLOWER | 680 | LIGHT THRIP DAMAGE |
| 137 | TORN FLOWERS | 681 | THRIP DAMAGE |
| 138 | SOME BURSTING | 684 | SOME VIRUS INFECTION |
| 139 | BURST | 685 | VIRUS |
| 140 | SINGLE GROWTH POINT | 688 | SINGLE BURNT STALK |
| 141 | GROWTH POINT | 689 | BURNT STALKS |
| 142 | SINGLE GREEN EDGE | 690 | SOME WHITEFLY |
| 143 | GREEN EDGES | 691 | WHITEFLY |
| 144 | SOME WITH LIMITED INFLORESCENCE | 692 | LIGHT ROOT ROT |
| 145 | LIMITED INFLORESCENCE.© VBN 2003/ | 693 | ROOT ROT |
| 148 | SOME SHRINKAGE | 694 | SINGLE ACIDIC BULB |
| 149 | SHRINKAGE | 695 | ACIDIC BULB |
| 150 | SINGLE EMPTY FLOWER | 698 | SINGLE CASE BLACK SLIME |
| 151 | EMPTY FLOWER | 699 | BLACK SLIME.© VBN 2003/2004 11 |
| 152 | SINGLE-NOSE | 704 | SINGLE DAMAGED POT/TRAY |
| 153 | NOSES | 705 | DAMAGED POT/TRAY |
| 154 | SINGLE IMPURE FLOWER | 709 | PACKAGING STICKING OUTSIDE TROLLEY |
| 155 | IMPURE FLOWERS | 710 | INCORRECT NUMBER PER PACKAGE |
| 156 | SOME UNRIPE | 712 | INCORRECTLY BUNDLED |
| 157 | UNRIPE | 714 | SOME INCORRECTLY BUNCHED |
| 158 | SOME UNEQUAL BLOSSOMING | 715 | INCORRECTLY BUNCHED |
| 159 | UNEQUAL BLOSSOMING | 717 | INCORRECT SLEEVE |
| 162 | SINGLE OPEN FLOWER CENTRE | 718 | INCORRECT PACKAGING |
| 163 | OPEN FLOWER CENTRES | 720 | SOME INSUFFICIENTLY SUPPORTED/TIED UP |
| 164 | SINGLE OPEN BLOSSOMING POINT | 721 | INSUFFICIENTLY SUPPORTED/TIED UP |
| 165 | OPEN BLOSSOMING POINTS | 729 | PRODUCT PROTRUDES OUTSIDE TROLLEY |
| 166 | SOME RIPE | 733 | POORLY TIED UP |

| | | | |
|-----|-----------------------------------|-----|--------------------------------------|
| 167 | RIPE | 736 | SOME INCORRECTLY PACKED |
| 168 | SOME LIMP FLOWERS | 737 | INCORRECTLY PACKED |
| 169 | LIMP FLOWERS | 739 | SUPPORT MATERIAL TOO HIGH |
| 170 | SINGLE WET FLOWER | 740 | SOME LOADED TOO DENSELY |
| 171 | WET FLOWERS | 741 | TOO DENSELY LOADED |
| 174 | SINGLE FLOWER FINISHED FLOWERING | 748 | SOME TOO DENSELY PACKED |
| 175 | FLOWERS FINISHED FLOWERING | 749 | DIFFERENT TYPES OF POT |
| 176 | SINGLE DRIED FLOWER/BUD | 752 | SINGLE DIRTY PACKAGE |
| 177 | DRIED FLOWERS/BUDS | 753 | DIRTY PACKAGE |
| 178 | SINGLE DISCOLOURED FLOWER | 754 | SINGLE DIRTY SLEEVE |
| 179 | DISCOLOURED FLOWERS | 755 | DIRTY SLEEVE |
| 180 | SINGLE DISCOLOURED FLOWER CENTRE | 756 | SINGLE DIRTY POT |
| 181 | DISCOLOURED FLOWER CENTRES | 757 | DIRTY POT |
| 182 | SINGLE PAPILIONACEOUS FLOWER | 763 | 5 INSTEAD OF 10 PER BUNCH |
| 183 | PAPILIONACEOUS FLOWERS | 765 | 10 INSTEAD OF 5 PER BUNCH.© VBN 2003 |
| 184 | SINGLE DIRTY FLOWER | 804 | SOME UNEVEN IN DIAMETER |
| 185 | DIRTY FLOWERS | 805 | UNEVEN IN DIAMETER |
| 186 | SINGLE WATER STAIN IN FLOWER | 808 | SOME UNEQUAL IN VOLUME |
| 187 | WATER STAINS IN FLOWER | 809 | UNEQUAL VOLUME |
| 188 | SOME WITH MEAGRE FLOWER/BERRY | 812 | SOME BUNCH LENGTH DIFFERENCE |
| 189 | MEAGRE FLOWER/BERRY DEVELOPMENT | 813 | DIFFERENCE IN BUNCH LENGTH |
| 190 | SINGLE SEED-BUD/TUBERCLE | 816 | SOME COLOUR DIFFERENCE |
| 191 | SEED-BUDS/TUBERCLES | 817 | COLOUR DIFFERENCE |
| 194 | SINGLE DEVIANT BRACT | 818 | SOME SHORT |
| 195 | DEVIANT BRACT | 819 | SHORT |
| 196 | SOME BURNT FLOWER/INFLORESCENCE | 821 | NOT AS SAMPLE |
| 197 | BURNT FLOWER/INFLORESCENCE | 825 | UNSORTED |
| 198 | SINGLE DISCOLOURED SPADIX | 828 | SOME BRANCH DIFFERENCE |
| 199 | DISCOLOURED SPANIX.© VBN 2003/200 | 829 | BRANCH DIFFERENCE |
| 204 | SOME NOT REACHED FULL HARDINESS | 830 | SOME MULTI-BRANCHED |
| 205 | INSUFFICIENT DEGREE OF HARDINESS | 831 | MULTI-BRANCHED |
| 207 | LIMITED SHELF LIFE | 834 | SOME UNEQUAL |
| 209 | PRETREATMENT INCORRECT | 835 | UNEQUAL |
| 211 | NO PRETREATMENT | 838 | SOME UNEQUALLY MIXED |
| 213 | BACTERIA COUNT TOO HIGH.© VBN 2 | 839 | UNEQUALLY MIXED |
| 312 | SINGLE DRY CLUMP IN POT | 842 | SOME WITH UNEQUAL NUMBER OF FLOWERS |
| 313 | DRY CLUMP (IN POT) | 843 | UNEQUAL NUMBER OF FLOWERS/BUDS |
| 316 | SOME LOOSE FROM THE POT | 846 | SOME UNEQUAL NUMBER OF PLANTS |
| 317 | LOOSE FROM THE POT | 847 | UNEQUAL NUMBER OF PLANTS |
| 320 | SOME WITH ROOT/BULB PARTS | 850 | SOME WITH UNEQUAL AMOUNT OF FRUIT |
| 321 | WITH ROOT/BULB PARTS | 851 | UNEQUAL AMOUNT OF FRUIT |
| 322 | SOME MOSS AND ALGAE GROWTH | 852 | SOME UNEQUAL BUNCH VOLUME |
| 323 | MOSS AND ALGAE GROWTH | 853 | UNEQUAL BUNCH VOLUME |
| 324 | SOME CASES OF WET CLUMP IN POT | 854 | SOME UNEQUAL IN LENGTH/HEIGHT |
| 325 | WET CLUMP IN POT | 855 | UNEQUAL IN LENGTH/HEIGHT |
| 337 | SOME JUST POTTED | 858 | SOME WITH UNEQUAL RIPENESS |
| 340 | SOME CASES OF POOR POTTING | 859 | UNEQUAL RIPENESS |
| 341 | POORLY POTTED | 860 | SOME WITH UNEVEN TUFT |
| 344 | SOME WITH POOR ROOT SYSTEM | 861 | UNEVEN TUFT |
| 345 | POOR ROOT SYSTEM | 862 | SOME WITH UNEVEN SHAPE |
| 348 | SOME WITH POOR CLUMP | 863 | UNEVEN SHAPE |
| 349 | POOR CLUMP.© VBN 2003/2004 | 867 | INSUFFICIENTLY MIXED.© VBN 2003 |
| 404 | SINGLE DEVIANT BRANCH/STALK | 905 | REJECTED |
| 405 | DEVIANT BRANCHES/STALKS | 908 | SOME DAMAGED TUNIC (SKIN) |
| 408 | SOME WITH DAMAGED BRANCH/STALK | 909 | DAMAGED BULB TUNIC |
| 409 | DAMAGED BRANCHES/STALKS | 910 | SINGLE BOW NOT FULLY GROWN |

412 SINGLE VARIEGATED STALK
413 VARIEGATED STALKS
414 SOME DEEP IN LEAF
415 DEEP IN LEAF
416 SOME WITH DOUBLE STALK
417 DOUBLE STALKS
418 SINGLE BRACT CURDS
419 BRACT CURDS
420 SOME BRITTLE/EASILY BREAKABLE
420 SOME BRITTLE/EASILY BREAKABLE
421 BRITTLE/EASILY BREAKABLE
422 SINGLE CASE THINNESS AT BOTTOM
423 THIN AT BOTTOM
424 SINGLE CASE OF BENT NECK
425 BENT NECK
426 SINGLE BENT BRANCH/STALK
427 BENT BRANCHES/STALKS.© VBN 200
428 SINGLE BROKEN BRANCH/STALK
429 BROKEN BRANCHES/STALKS
430 SINGLE TWISTED STALK
431 TWISTED STALKS
432 SOME HOOKS, OLD WOOD
433 HOOKS, OLD WOOD
434 SOME SPLITTING FROM GROWTH
435 GROWTH SPLITS
436 SINGLE HEEL
437 HEELS
438 SOME TOPPING/CUTTING
439 TOPPED/CUT
440 SINGLE CASE BARE AT BOTTOM
441 BARE AT BOTTOM
444 SINGLE BARE BRANCH/STALK
445 BARE BRANCHES/STALKS
446 SINGLE BUD
447 BUDS
448 SINGE BENT BOTTOM END
449 BENT BOTTOM ENDS
450 SINGLE DEAD BRANCH TIP (POINT)
451 DEAD BRANCH END (POINT)
452 SOME WITH BENT NECK
453 BENT NECKS
454 SOME WITH LEAF
455 WITH LEAF
456 SINGLE BENT BRANCH/STALK
457 BENT BRANCHES/STALKS.© VBN 200
458 SINGLE SHORT FLOWER STALK
459 SHORT FLOWER STALKS
460 SOME STRETCHED
461 STRETCHED
462 SINGLE LONG FLOWER STALK
463 LONG FLOWER STALKS
464 SINGLE LIGHT BRANCH/STALK
465 LIGHT BRANCHES/STALKS
466 SOME POORLY TOPPED
467 POORLY TOPPED
468 SINGLE SHOOT

911 BOWS NOT FULLY GROWN
913 DECLASSIFICATION CODE
919 LIGHT BATCH
924 SOME LOSS OF SHAPE
925 LOSS OF SHAPE
932 SOME DAMAGE FROM COLD
933 DAMAGE FROM COLD
934 SOME WITH SOIL REMAINS
935 WITH SOIL REMAINS
937 UNCOLOURED
939 NOT IN WATER
941 NOT FRESH
943 NOT TRADED
949 OTHER INSPECTION REMARKS
952 SOME POOR POT/PLANT RATIO
953 POOR POT/PLANT RATIO
958 SOME TRANSPORT DAMAGE
959 TRANSPORT DAMAGE
960 SOME POORLY SHAPED
961 POOR SHAPE
962 SOME FROST DAMAGE
963 FROST DAMAGE
964 SOME DIRT
965 DIRT
969 DIRTY WATER
970 WITHOUT PRODUCT INFORMATION
990 SOME POOR BERRIES
991 POOR BERRIES